

LEISTER

PLASTIC WELDING

TRIAC ST

Design meets experience
– The new S

NEW!



www.leister.com

We know how.

TRIAC ST – Design meets experience

The new TRIAC ST from Leister is primarily used for welding and processing plastic. During its development, a deliberate choice was made to do without extra technical features. Instead it is distinguished by handiness, reliability and versatility, like its predecessor the TRIAC S. A prominent feature here is the two-component handle, which is not only attractive visually but also gives the user perfect grip. The low weight of less than 1 kg/2.18 lbs ensures a

Product advantage

1




Ergonomic handling:

The 2-component handle and perfect tool balance ensure ideal grip and optimum working even under the toughest conditions.

A real lightweight:

Weighing less than 1 kg/2.18 lbs, the TRIAC ST is even lighter than its predecessor.

2



Always keeps a cool head:

There is an actively cooled protective tube for greater work safety.

Design meets experience:

The TRIAC ST is already the seventh generation of the revolutionary TRIAC hot air tool range from Leister. Decades of experience packed into a modern design.

2

1



3

4

3



Swiss thoroughness:

The air filters on both sides can easily be removed and cleaned. This ensures optimum air flow and maximum power output.

4



Plug'n' Leister

Like the TRIAC S, the TRIAC ST impresses with easy operation and Swiss quality.

Handy helper:

The TRIAC ST has kept what is probably its predecessor's most important feature: It is and remains reliable!



perfect weight balance. The innovative motor and turbine design, combined with the heating element familiar from the TRIAC AT, enhance the value even more. Also new are two air filters that can easily be removed and cleaned. More than 80 nozzles fit onto the TRIAC ST – also compatible with the TRIAC AT and TRIAC S – making all conceivable applications possible, both indoors and outdoors.

TRIAC ST – The new S

- 100% Swiss made quality
- 60 years of expertise in making hot-air tools – brought together in the new TRIAC ST
- The sturdy, professional hot-air tool that weighs less than 1 kg/2.18 lbs
- Functional design: two-component handle grip and optimum center of gravity ensure ergonomic working
- Quick clean air filters
- Automatic carbon stop (collector protection) and heating element protection


Plastic welding

- Overlap welding
- Draw welding
- Stitching



Heat applications

- Heat forming
- Activating
- Drying
- Removing paint, varnish and glue
- Shrinking



Technical data

Voltage	V~	230	200	120	100
Power	W	1600	1600	1600	1500
Frequency	Hz	50 / 60			
Temperature	°C	40 – 700			
	°F	100 – 1290			
Air volume	l/min	(20 °C) max. 240			
	cfm	(68 °F) max. 8.48			
Nozzle holder for plug-in nozzles	mm	31.5			
	inch	1.24			
Emission LpA	dB	67			
Dimensions (ø ^{Blower} x L x ø ^{Handle})	mm	ø 90 x 336 x ø 56			
	inch	ø 3.5 x 13.2 x ø 2.2			
Weight (without power cord)	kg	<1 (990g)			
	lbs	2.18			
Conformity marking	CE				
Protection class	□				
All areas of application, suitable for construction sites					

Art. no.

Designation	Voltage	Power	Art. no.
US, push-fit	120 V	1600 W	141.228
CN, push-fit	230 V	1600 W	141.312
JP, push-fit	100 V	1500 W	141.230
JP, push-fit	200 V	1600 W	143.841
UK, push-fit	120 V	1600 W	141.308
UK, push-fit	230 V	1600 W	141.309
AUS, push-fit	230 V	1600 W	141.310
CH, push-fit	230 V	1600 W	141.311
EU, push-fit	230 V	1600 W	141.227

Accessories:

The entire nozzle range for the TRIAC S and TRIAC AT is also compatible with the new TRIAC ST. That means over 80 nozzles are available to the expert craftsman.



We are local. Worldwide.

Leister Technologies AG
Galileo-Strasse 10
CH-6056 Kaegiswil / Switzerland
phone: +41 41 662 74 74
fax: +41 41 662 74 16
leister@leister.com

Leister Technologies LLC
Itasca, IL 60143 / USA
phone: +1 630 760 1000
info@leisterusa.com

Leister Technologies Ltd.
Shanghai 201 109 / PRC
phone: +86 21 6442 2398
leister@leister.cn

Leister Technologis KK
Yokohama 222-0033 / Japan
phone: +81 45 477 36 37
info@leister.co.jp

Leister Technologies Benelux BV
3991 CE Houten / Nederland
phone: +31 (0)30 2199888
info@leister.nl

Leister Technologies India Pvt
600 041 Chennai / India
phone: +91 44 2454 3436
info@lipipolymers.com

Our close worldwide network of more than 120 Sales and Service Centers in more than 90 countries.

Europe:

- Austria
- Belarus
- Belgium
- Bulgaria
- Croatia
- Cyprus
- Czech Republic
- Estonia
- Denmark
- Finland
- France
- Germany
- Great Britain
- Greece
- Hungary
- Ireland
- Iceland
- Italy
- Kazakhstan
- Latvia
- Lithuania
- Netherlands
- Norway
- Poland
- Portugal
- Romania
- Russia
- Serbia
- Slovakia
- Slovenia
- Spain
- Sweden
- Switzerland
- Turkey
- Ukraine

America:

- Canada
- Mexico
- USA
- Argentina
- Brazil
- Chile
- Columbia
- Costa Rica
- Ecuador
- Venezuela
- Peru

Africa:

- Algeria
- Egypt
- Kenya
- Morocco
- South Africa
- Tunisia

Middle East:

- U.A.E.
- Saudi Arabia
- Qatar
- Iran
- Iraq

Asia Pacific:

- P.R.China
- Hong Kong
- India
- Indonesia
- Japan
- Korea
- Malaysia
- Mongolia
- Philippines
- Singapore
- Taiwan
- Thailand
- Vietnam

Oceania:

- Australia
- New Zealand

© Copyright by Leister, Switzerland

Distributor Addresses: